



We have more than 20000 users worldwide, more than 3000000 hotel rooms are using our hotel intelligent lock. Network covering more than 30 countries.


We constantly improve products and services, give the customers home feeling .

Our intelligent locks for 5013 model, use the advanced material, perfect craft.It's very suitable for the seaside tourism city's hotel. This lock has alarm function to prevent the malicious user the clink.

We open lock using non-contact way, greatly reducing the card to the hotel owner cost overhead .

provide real one-card solution for hotel owners

The 5013 RFID hotel lock is equipped with durable contactless card technology,which is insensitive to scratches and magnetic fields.the battery has a high longevity(normal 4pcs AA batteries can use 14 mothes) and both the locks and cards are low-maintenance.The locks are standard equipped with an emergency cylinder and a special fire prevention card to keep the doors open during an emergency.



We provide real one-card solution for hotel owners, our software covers: intelligent locks, access door, elevator

control, time control electric switches, parking lot, five different partitions for the hotel owner ,it'll reduce personnel management for the owner, convenience for the customers.



MF Electronic Lock Technical Parameters

Opening Time: Press down the handle for once, the lock auto-locks when door is not opened;

Clutch: Imported micro-motro;


Card type: Mifare s50 card and Mifare s70 card sensor card(expanded one-card-pass function);

Theoretical quiescent dissipation: 8~15 microamp;

Installation space: door thickness 38~60mm(lengthened parts should be needed if the door is overthick). If there is decorative border on the door, then decorative border should have a at least 115mm distance to the edge;

Record storage: can store almost 2000 records, including unlocking records of mechanical key.

Low voltage warning: when the voltage is below 4.7v, the lock will warn by light and voice, and it can still unlock the door 500 times by this time.



Mechanical key: Mechanical key which is prying resistant is equipped to ensure the door can be open in the emergency. It can be made to single opening (one-for-one) or one key can open all the lock(master key).

Lock Material: use stainless steel, very durable;

Surface Treatment: Nanotechnology is used to treat the surface of lock so that the lock is anticorrosion and wear prevention;

Lock handle: idling design, free handle to effectively prevent any damage to the inside structure from external force;

Unlocking ways: RF card electronic key(essential), mechanical key (essential), 5 seconds emergent opening time;

Lock tongue: use international standard five bolts; the prevent breaking bolt can efficiently prevent breaking and theft;

Surface of mortise: use international standard treatment technology, prevent corrosion and moisture;



Historical Records storage
inquire in Security



Temporarily Forbidden when overranging



Low Power Alarm
An Spare Battery Box for Power Run Out



Panel Board Forged From 304 Stainless steel
Strong Classical



Waterproof Grade 5



Automatic locking and False Locking



Unlock/Locked on the inside

Double lock function: 4 bolts locked outside the door, 5 bolts locked inside the door;

Mortise: ANSI mortise, solid and durable.

Electronic Circuit

Computer board,control board: totally computer test, anti-jamming design, anticorrosion and antimoisture processing is operated to ensure the circuit run stably.

Motor and clutch: gear with steel type, avoid the normally open or close state caused by motor stuck resulting from wear and tear and the shake from closing the door. Meanwhile ensure it run freely for at least 500,000 times.

Winding displacement of motor: use flame retardant material, and additional drivepipe is used to strengthen the protection.

Intelligent Function

Confidentiality:Information written is encrypted, and only our system can read the information, other system cannot read out the data.

Auto alarm function: When the door is not closed right or in the false close state(some of the bolts don't pop out), the lock will gives a warning signal 5 sec after the door closed; when the voltage is below 4.7v, the lock will warn by light and voice when using RF card to open the door, and it can still unlock the door 500 times by this time.

Memory function: The computer chip of the storage inside the lock can store 2000 records, including unlocking records of RF card and mechanical key and other unlocking ways. The data will not lose even the power is off, and the unlocking records can be read out at any time.

PDA hand held function: the specialized PDA can fulfill fault diagnosis,clock setting, lock maintaining, unlocking records reading function to the lock.

Power saving funcion: the micro computer board come to sleep mode when it is not running.

Card set and loss reporting function: we can set the card function and report the loss of the card through lock management system.

Anti-jamming function: prevent the disturbance from outside magnetic field,etc;

Expanded one-card-pass function: RF card has its compatibility to other type of card and device, it can fulfill the one-card-pass function, like parking lot, elevator controller, inductive electronic swith, etc.




304 STAINLESS STEEL MATERIALS PANEL,
MORE STRONGER



IT'S EASY TO TAKE OUT
THE CYLINDER'S




DISSOCIATE HANDLE, PROTECT
THE PEOPLE'S HANDLE



PCB HAS PROTECT COVER, SO
THE PCB CAN BE USED FOR
MORE TIME



NICKEL PLATING THUMB KNOB
KEEP YOUR SAFE AND
COMFORTABLE SLEEP



ANSI MORTEISE
MORE SAFTY, MORE CONVENIENT

Different Level Management

Guest Cards - if a lock does not open when a guest

card is used; The reason for this is the written information inside the card.

This can be read by the management card in the hotel and problem

can be immediately solved. and when the guest get into the room, the lock, the outside panel will light red lights, it means the room has somebody inside the room, don't disturb.

Staff Cards – we use Mifareone S70 card to issue staff cards. Different permission is authorized to the staff card on daily use,

this would include the deadlocking room or make cleaning time. and staff cards have special functions, we can read the recordings of the opening rooms through the staff cards, no need to use PDA to download.

Portable LCD Handset - One advanced device to manage the whole system.

what you can do with it: configure the room No. to the lock; adjust the time inside the lock;


audit trail opening records; check card or lock information; Issue guest card when there is failure on the computer or software system; Make checkout for guest on emergency condition.

comfortable life

smart life



05# handle



31# handle



12# handle

The 5013 RFID HOTEL LOCK has got Intertek En14846 certification.





Our user group is growing!

We constantly explore the user requirements, providing humanized service, convenient and reliable products .

