

ASHM Model : HD 5013

Feature:

PRODUCT INFORMATION:

Elegance appearance, rational structure, safe and reliable.
Five latch mortise design has up to international standard level.
No need to insert the card, just approach the card in the sensitive area on the front surface.

Auto-prevent dust into lock, prolong lock life.
The installation is extremely convenient, the front lock body, the mortise and the back lock body three parts is very simple and clear.

Free rotating handle, maximum prolong mechanism life and also avoid unlock by violence.
It's very easy to changing batteries in the lock.

Others:

Door thickness request 38-50mm;£
Perfect smart keys management and many grades management.
Adopt the TEMIC company Mifare card as key card with safe and durably.

The "black box" in the lock can store 800 latest unlocking records that can facilitate the hotels' security and enhance the hotels' credit.

Controlled by our software to encode, cancel, encrypt and set the Mifare Cards.

Operated Card type: Mifare one card

Unlocking modes: Mechanical key, Card

Power supply: DC4.5V-6.5V, 4 standard 1.5V AA alkaline batteries

Battery Life: 10000 times normal unlocking

Mortise: USA Standard 5 Latch Mortise

Card Reading Distance: 0-5cm

Panel and Handle Material Satin Steel 201

Finishing Color: Silver / Golden

Dimension: (H) 244 x (W) 78 x (D) 17 mm

(66 mm incl Handle)

Weight 3.50 Kg.

Static current: < 20 uA

Dynamic current: <150 mA

Storage temperature: -20 - + 85

Storage humidity: 10-98% RH

Working temperature: 0 - + 60


Working humidity: 15-95% RH

Card reading distance: 0-5cm

Reading & writing time: <0.5s

Date keeping: Over 10 years





BM 0.750

ZH 9-08-03

Cylinder Series

